

Materials Index

A

Additively manufactured materials:
012008 pg. 2
Adhesives: 012006 pg. 4
Aerogel: 012007 pg. 1
Aluminum: 012003 pg. 1; 012024 pg. 2
Austenitic stainless steels
AISI 316: 012001 pg. 1
AISI 316L: 012001 pg. 2
AISI 316LN: 012001 pg. 2
AISI 316LNH: 012001 pg. 2

B

BaZrO₃: 012013 pg. 1
Boron nitride: 012010 pg. 3

C

Cables
Superconducting: 012020 pg. 1
Tape stack: 012017 pg. 1; 012019 pg. 7
Coated conductors: 012013 pg. 1;
012014 pg. 1; 012015 pg. 4
Composites
Carbon fiber-reinforced: 012008 pg. 1
Copper: 012024 pg. 2
Cryocoolers: 012005 pg. 2
Cryogenic bus bar: 012029 pg. 1
Cryogenic hydrogen: 012004 pg. 1;
012011 pg. 1; 012028 pg. 1
Cryogenic propellant: 012004 pg. 1;
012011 pg. 1; 012028 pg. 1
Cryostats: 012020 pg. 4

E

Electric aircraft: 012028 pg. 1
Electron-ion collider: 012012 pg. 1
Epoxy resin: 012010 pg. 4

F

Flexure spring: 012005 pg. 2

G

GdBCO: 012013 pg. 1; 012018 pg. 1
Gaseous helium: 012009 pg. 2
Gaseous hydrogen: 012009 pg. 2
Glass bubbles: 012009 pg. 1
Graphene: 012025 pg. 1
Graphitic fibers: 012025 pg. 1

H

Hydrogel: 012010 pg. 1

I

Inconel: 012001 pg. 1
Indium: 012024 pg. 2
IZEA aircraft: 012028 pg. 1; 012029 pg. 1

L

Liquid hydrogen: 012009 pg. 1; 012026 pg. 1

M

Magnets: 012015 pg. 8; 012019 pg. 1;
012021 pg. 1; 012021 pg. 4; 012022 pg. 1
MgB₂: 012022 pg. 1
MOSFET: 012028 pg. 6

N

Nanofibers: 012006 pg. 3; 012011 pg. 1
Nb: 012002 pg. 1; 012004 pg. 1, 012024 pg. 2
NbTi: 012012 pg. 1; 012021 pg. 4

P

Perlite: 012009 pg. 1
Power converters: 012028 pg. 1
PVA: 012010 pg. 1
PVDF-HFP: 012006 pg. 1; 012011 pg. 1



R

Rare earth (RE) compounds

RE-123: 012015 pg. 1; 012016 pg. 1;
012017 pg. 1; 012018 pg. 1;
012019 pg. 1

Y

Yttrium compound

YBCO: 012013 pg. 1; 012018 pg. 1;
012019 pg. 3

S

Space cryocoolers: 012005 pg. 2

Stirling cryocooler: 012005 pg. 2

Superconducting magnet: 012021 pg. 1

Superconducting motor: 012027 pg. 1

Synchronous machine: 012027 pg. 1

Subject Index

A

AC loss: 012022 pg. 7
Additive manufacturing: 012008 pg. 3

B

Boiloff calorimetry: 012009 pg. 3;
012020 pg. 3

C

Contact resistance: 012015 pg. 5;
012017 pg. 7
Coupling-loss induced quench model:
012022 pg. 1
Critical current
NbTi: 012012 pg. 6
Critical current density: 012014 pg. 4
Critical field: 012014 pg. 4
Critical temperature: 012018 pg. 5;
012023 pg. 6
Current vs voltage
Power converter: 012030 pg. 3
Current sharing: 012019 pg. 7

E

Elastic modulus
Carbon fiber-reinforced composites:
012008 pg. 7
Electric field analysis: 012029 pg. 1
Electrical conductivity
Aluminum: 012003 pg. 4
Electron backscattered diffraction:
012003 pg. 3; 012004 pg. 6
Electron exchange model: 012018 pg. 7
Electropolishing: 012003 pg. 3
Electrospinning: 012006 pg. 2; 012011 pg. 2
Eliashberg equations: 012023 pg. 2

F

Failure analysis: 012001 pg. 7
Fatigue testing: 012001 pg. 3
Finite element method: 012017 pg. 2;
012019 pg. 2; 012028 pg. 4; 012005 pg. 3
Flux pinning force: 012013 pg. 3
Fracture strain
Carbon fiber-reinforced composite:
012008 pg. 4

H

Hall probe microscopy: 012016 pg. 5
Hardness
Niobium: 012002 pg. 5
Hardness model: 012001 pg. 9
Heat flux: 012009 pg. 5
Heat load: 012020 pg. 6
High pressure oxygenation: 012014 pg. 1
High rigidity spectrometry: 012021 pg. 1
Hydride superconductors: 012023 pg. 1
Hydrogen
Thermodynamic properties: 012026 pg. 3
Hydrogen gravimetric density: 012026 pg. 1
Hydrogen storage tank design: 012026 pg. 6
Hydrogen volumetric density: 012026 pg. 1

I

Infrared emittance: 012006 pg. 5; 012011 pg. 5
Insulation: 012007 pg. 1; 012009 pg. 4
Inverse pole figure: 012003 pg. 5

L

Liquefaction: 012026 pg. 4
Lumped parameter model: 012022 pg. 2

M

Machine vision: 012016 pg. 1
Magnetic hysteresis loop: 012012 pg. 7
Magnetization: 012012 pg. 7; 012025 pg. 6
Marine environment: 012027 pg. 1
Modulus
NbTi: 012012 pg. 7

N

Nanoindentation: 012002 pg. 2
Neutron irradiation: 012018 pg. 2

O

Optical power converter: 012030 pg. 1

P

Partial discharge: 012029 pg. 8
Peak power vs. temperature
Power converter: 012030 pg. 4

Peel strength

Adhesives: 012006 pg. 7

Phonon frequency: 012023 pg. 5

Piezo resistivity: 012008 pg. 5

Power-over-fiber technology: 012030 pg. 1

Power system: 012029 pg. 3

Power vs. voltage

Power converter: 012030 pg. 3

R

Raman spectroscopy: 012016 pg. 6

Residual resistivity ratio

NbTi: 012012 pg. 6

Resistance vs. temperature: 012013 pg. 6;
012014 pg. 5

Resistivity: 012015 pg. 5

Resistivity ratio

Aluminum: 012003 pg. 8

Resonance frequency: 012005 pg. 4

S

Sea state scales: 012027 pg. 4

Shannon entropy: 012004 pg. 3;
012004 pg. 6Solar reflectance: 012006 pg. 5;
012011 pg. 6

Specific heat: 012028 pg. 8

SRF cavities: 012002 pg. 1;
012004 pg. 1; 012024 pg. 1

Strain mapping: 012016 pg. 6

Stress:

von Mises stress: 012005 pg. 4

Stress-strain curves

Hydrogel: 012010 pg. 6

Niobium: 012002 pg. 6

Niobium-Titanium: 012012 pg. 7

Stainless steels: 012001 pg. 5;
012001 pg. 7Superconducting gap: 012023 pg. 6;
012025 pg. 6**T**

Tensile properties

Niobium: 012002 pg. 5; 012002 pg. 7

Thermal conductivity

Aerogel: 012007 pg. 6

Aluminum: 012024 pg. 9

Copper: 012024 pg. 9; 012028 pg. 8

Glass bubbles: 012009 pg. 6

Hydrogel: 012010 pg. 6

Magnet windings: 012019 pg. 5

Nb: 012024 pg. 9

Perlite: 012009 pg. 6

Thermal joints: 012024 pg. 4

Thermal management: 012028 pg. 5

Thermal resistance: 012017 pg. 7; 012024 pg. 11

Thermophysical properties: 012028 pg. 8

Transverse resistivity: 012015 pg. 5

U

Ultimate tensile strength

Carbon fiber-reinforced composite:
012008 pg. 4

Niobium: 012002 pg. 6

Niobium-titanium: 012012 pg. 7

U.S. Navy mission: 012027 pg. 5

Y

Yield strength

Niobium: 012002 pg. 6

Young's modulus

Niobium: 012002 pg. 5